

**(R.N.M. College Hunterganj, Jharkhand**  
**Pin-825401**



# **TENDER DOCUMENT**

**For**

**Procurement of R.N.M. College Hunterganj, Under**  
**RUSA scheme**





# RAM NARAYAN MEMORIAL COLLEGE

Shaligram Ramnarayan Pure (Hunterganj), Chatra, Pin- 825401  
(A Permanently Affiliated Institution Under Vinoba Bhave University, Hazaribagh)  
Registered U/S 2(F) and 12-B.U.G.C. Act 1956

**NAAC Accredited Grade "B"**

web.- [www.rnmch.com](http://www.rnmch.com)

principalrnmcollege@gmail.com  
Mob.- 9572373838  
7992318473

Ref. No. R.N.M.C./23/2025

Date 16/07/2025

## Ram Narayan Memorial College

(A Permanent Affiliated Institution Under Vinoba Bhave University, Hazaribagh)

### TENDER NOTICE

The R.N.M College, Hunterganj, Chatra invites tenders from the supply of various items for the project under RUSA Scheme in 2 separate envelopes. The tender document may be downloaded from the college official website i.e [www.rnmcollege.com](http://www.rnmcollege.com)

Principal Jai Singh  
16/7/2025  
Ram Narayan Memorial College  
Hunterganj (Chatra)

Principal

Fakhruddin  
**RUSA** 16/07/25  
Co-ordinator  
R.N.M. College, Hunterganj



**(Short Tender Notice)**

**Office of the Principal**

**R.N.M. College Hunterganj**

S.No	Name of the office inviting Tenders	Prof-in- charge, R.N.M. College Hunterganj
1.	Name of Work	Development of Infrastructure
2.	EMD of Tender to be deposited for each packet(Refundable)	Rs. 70,000/-
3.	Tender Cost for each packet(Non Refundable)	Rs. 5000/-
4.	Date of issue of Tender Document	17.07.2025
5.	Last Date of Submission of Tender Paper	28.07.2025 till 1:00pm
6.	Date of Opening of Tender	28.07.2025 at 2:00pm
7.	Tender No.	RNMCH/01/2025-26
8.	Detail of Demand Draft (D.D)	Prof-in- charge, R.N.M. College Hunterganj
9.	Name of the Firm/Supplier Receiving the Tender	

**Further Details can be seen/Downloaded from the website of the college/or from office of the College :-**

**www.rnmch.com** *www.rnm college.com*

*Fakhriddin*  
*17/07/25*

*Jai Singh*  
*17/7/2025*  
Prof-in-charge

**Principal**  
**R.N.M. Memorial College**  
**Hunterganj (Chattri)**



## PART-I

The tender will be opened dated 28.07.2025 at 2:00pm. The undersigned reserves rights to accept or reject one or all tenders.

### Terms & Condition:-

1. Photocopy of PAN card, GST Registration Certificate of Bidder.
2. Firm should have average annual turnover of at least **Rs350** lakhs in last three financial years (Proof to be enclosed).
3. Preference shall be given to firms which are registered on GeM (Proof required).
4. Tender deposited without EMD will be summarily rejected.
5. Interested parties can be present on the date of opening of tender.
6. Products quoted/ bided should preferably be of 'A' grade brands/quality.
7. Properly sealed tender (in two bid system) for each section should be submitted in the office of the undersigned either in person or by the registered post on or before 28.07.2025 **till 1:00pm** tender received after due date and time, so what so ever be the reason will be rejected/ not accepted.
8. Price must be quoted F.O.R Huntergunj inclusive of all charges/taxes. Any tax will not be added after the submission of financial bid. Bidders are strictly advised to take care in quotations.
9. Quantity of above items may increase or decrease as per college requirements.
10. All items must preferably be delivered within 10 days from the receipt of order.
11. Technical and financial bids will have to be enclosed in separate envelope.
12. Incomplete tenders or tenders received after due date and time will be rejected.
13. Principal of the institution reserves the right to cancel tender at any point of time.
14. The Rate will be valid for 1 Year.
15. Furnish self-declaration that bidder is not blacklisted in any College/Institution /State / Central governments works
16. Offers should strictly be as per the technical specifications as mentioned in bid and is considered on turnkey basis. No deviation shall be accepted; (Deviations are likely to render the tender non-considerable. Bidders are advised not to deviate).
17. The college should have all the right to reject/select lowest bidders if major variations are found in make/rates of the items quoted. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason or relax any condition at any stage of tender process.

*Rundelir*

*P. Singh*



## Eligibility Criteria for Furniture Items: -

1. The OEM Should Be Having NABCB Accredited ISO 9001:2015, 14001:2015, ISO 45001:2018, ISO 50001:2018. The Item Should Be GREEN GUARD UL /GREEN PRO/IGBC AND AIOTA PEFC/ FSC issued by SCS Global, INDIAN DESIGN MARK and SCS GOLD Certified, Wherever Applicable the OEM Should Have BIFMA Membership and BIFMA LEVEL-1/LEVEL-2 Certificate from BIFMA. The OEM SHOULD HAVE BIFMA COMPLAINT FROM BIFMA Which Should Be Verified On Site [www.Bifma.Org](http://www.Bifma.Org). And "ISO 37001:2016 (Anti-Bribery Management System)" Copies Of All The Above Certificates Are To Be Enclosed With The Technical Bid.
2. Availability of Service Centres: Bidder/OEM Must Have A Functional Service Centre In The State At List 3 Consignee's Location In Case Of Carry-In Warranty. (Not Applicable in Case of Goods Having On-Site Warranty). If Service Centre Is Not Already There at The Time Of Bidding, Successful Bidder / OEM Shall Have To Establish One Within 30 Days Of Award Of Contract. Payment Shall Be Released Only After Submission of Documentary Evidence Of Having Functional Service Centre.
3. Dedicated /Toll Free Telephone No. For Service Support: BIDDER/OEM Must Have Dedicated/Toll Free Telephone No. For Service Support.
4. Escalation Matrix For Service Support: Bidder/OEM Must Provide Escalation Matrix Of Telephone Numbers For Service Support.
5. Bidder Turn Over Criteria: The Minimum Average Annual Financial Turnover Of The Bidder During The Last Three Years, Ending On 31<sup>st</sup> March Of The Previous Financial Year, Should Be As Indicated In The Bid Document. Documentary Evidence In The Form Of Certified Audited Balance Sheets Of Relevant Periods Or A Certificate From The Chartered Accountant / Cost Accountant Indicating The Turnover Details For The Relevant Period Shall Be Attached With The Bid. In Case The Date Of Constitution / Incorporation Of The Bidder Is Less Than 3 Year Old, The Average Turnover In Respect Of The Completed Financial Years After The Date Of Constitution Shall Be Taken Into Account For This Criteria.
6. Preference To Make In India Products (For Bids < 200 Crore) **Along With Factory Licence:** Preference Shall Be Given To Class I Local Supplier As Defined In Public Procurement (Preference To Make In India), Order 2017 As Amended From Time To Time And Its Subsequent Orders/Notifications Issued By Concerned Nodal Ministry For Specific Goods/Products. The Minimum Local Content To Qualify As A Class I Local Supplier Is Denoted In The Bid Document. If The Bidder Wants To Avail The Purchase Preference, The Bidder Must Attach A Certificate From The OEM Regarding The Percentage Of The Local Content And The Details Of Locations At Which The Local Value Addition Is Made Along With Their Bid, Failing Which No Purchase Preference Shall Be Granted. In Case The Bid Value Is More Than Rs 10 Crore, The Declaration Relating To Percentage Of Local Content Shall Be Certified By The Statutory Auditor Or Cost Auditor, If The OEM Is A Company And By A Practicing Cost Accountant Or A Chartered Accountant For Oems Other Than Companies As Per The Public Procurement (Preference To Make-In -India) Order 2017 Dated 04.06.2020. Only Class-I And Class-II Local Suppliers As Per MII Order Dated 4.6.2020 Will Be Eligible To Bid. Non - Local Suppliers As Per MII Order Dated 04.06.2020 Are Not Eligible To Participate. However, Eligible Micro And Small Enterprises Will Be Allowed To Participate. In Case Buyer Has Selected Purchase Preference To Micro And Small Enterprises Clause In The Bid, The Same Will Get Precedence Over This Clause.
7. The Bidder Should Be The Original Equipment Manufacturers (OEM) Or Their Authorized Dealers. The Bidder/OEM Should Submit NABL Test Certificate.
8. Experience In Government Of India More Than 10 Years.
9. Warranty Period Of The Supplied Products Shall Be 5 Years From The Date Of Final Acceptance Of Goods Or After Completion Of Installation, Commissioning & Testing Of Goods (If Included In The Scope Of Supply), At Consignee Location. OEM Warranty Certificates Must Be Submitted By Successful Bidder At The Time Of Delivery Of Goods. The Seller Should Guarantee The Rectification Of Goods In Case Of Any Break Down During The Guarantee Period. Seller Should Have Well Established Installation, Commissioning, Training, Troubleshooting And Maintenance Service Group In INDIA For Attending The After Sales Service. Details Of Service Centres Near Consignee Destinations Are To Be Attached Along With The Bid.

*[Signature]*

*[Signature]*



- The bidder Should have experience of similar nature of work in last three Year's Minimum value of Rs. 70 Lakhs of items mentioned in packets/Sections. (Attach Supply Order).
- The bidder should have electrical license issued by Jharkhand Energy Department and ISO 9001:2015 and ISO 14001:2015 certificates along with character certificate of the firm or partners of the firm issued by local SP Office.
- Copy of Valid GST Registration Certificate of OEM service/sales center in Jharkhand.
- Alternative price shall not be accepted.
- Valid Manufacturers Authorization Certificate in case of dealer/Supplier.
- ITR last 3 year
- Sample is required in financial Bid opening.

*Friend*, *Pat Gub*



## Schedule of Items

S.NO	Item	Qty
1	AiO Computer	9
2	Water cooler	1
3	RO Purifier	1
4	Smart Board	3
5	PRINTER	2
6	SOLAR INVERTER	1
7	Study Chair	32
8	Steel Almirah	32
9	Bed for Girls Hostel	32
10	DINING TABLE	4
11	Study Table	32
12	Physics Lab - Practical Table	1
13	Chemistry Lab- Complete table with gas connection, water basin and basin for chemicals	2
14	Zoology Lab - Table with water basin	2
15	Botany Lab - Table with water basin	1
16	Geography Lab - Table	3
17	Psychology Lab - Table	1
18	BENCH DESK	100
19	VISITORS CHAIR	30
20	WARDEN BED	1
21	Parda for Girls hostel	
22	FIRE EXTINGUISHER	4
23	CCTV for Girls Hostel	
24	TUBELIGHT	60

*Fazal*

*Jai J. M.*



## **Part II – Essential Details of Items/ Services required**

1. Bidders are required to furnish clause by compliance of specifications bringing out clearly the deviations from specification, if any. The Bidders are advised to submit the compliance statement in the following format along with Technical Bid :-

Sr.no.	Para of Tender specifications item wise	Specification of item offered	Compliance to tender specification- whether Yes/No	In case of non- compliance, deviation from Tender to be specified in unambiguous terms
1.				

*Handwritten signature*

*Handwritten signature*



## Minimum Technical Specifications of required items

### **1.AiO Computer**

<b>Computer AiO Technical Specification</b>	
Processor Make	Intel core i5 with B660 chipset
Processor Generation	12 or Higher
Number of Cores per Processor	6
Processor Base Frequency (GHz)	2.5, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
Processor Description	Intel Core i5 Or higher
Processor Number	Intel Core i5 Or higher
Graphics Type	Integrated
Operating System (Factory Pre-Loaded)	Windows 11 Professional
RAM Size (GB)	8
RAM Expandability up to( using spare DIMM Slots in GB)	64
Type of Drives used to populate the Internal Bays	SSD
Total HDD Capacity (GB)	1000, 1500, 2000, 2500, 3000, 4000 Or higher
Monitor Technology	IPS,
LED Backlit Monitor Size (INCHES)	23.8
Monitor Resolution (PIXELS)	1920x1080
Availability of Webcam integrated with Monitor	Yes
Availability of Speakers integrated with Monitor	Yes
Mouse Connectivity	Wired
Keyboard Connectivity	Wired
On Site OEM Warranty (Year)	3
Power Supply	Minimum 120 Watt with 85% - 94% efficiency
Keyboard & Mouse	USB + Optical
WiFi+BT	Yes
Optical Drive	NA
Ports	DP/VGA, HDMI Port, RJ-45, M.2
<b>Additional Terms and conditions.</b>	
Bidder to submit BID Specific authorization with name, address, and mail id of the Signatory	
Power supply efficiency should be 92% or Higher. As per Data sheet	
Specific Data Sheet of the product(s) offered in the bid, are to be Attached along with the bid documents. Product serial no's and warranty information should be available in public domain,	
All Item should be of same OEM make and color	
OEM should have same made of Monitor, CPU, Mouse and Keyboard. OEM LOGO /trademark should be embossed on them (No sticker will be accepted)	
OEMs having annual turnover of Rs. 10000 Crore and having profit in last five years	
Specific Data Sheet of the product(s) offered in the bid, are to be Attached along with the bid documents.	

*Prakash*

*P. J. Singh*



Compliance sheet and EOL certificate must be in OEM Letterhead with company seal & sign  
 Bidder must have a Functional Office in the State of Consignee's Location, Bidder ( updated GSTR3B )and OEM should have their business operation in India at least 7 years ( Continuance Proofs are Required )  
 Declaration required on end-of-life by the OEM before this period, Malicious Quote and Warranty Certificate. ( OEM Letter Head)  
 Certification - ISO 9001,14001, ISO 20001, ISO 27001 for OEM , TCO 8.0 certification for Monitor , Energy star 7.1, EPEAT Certified, ROHS and UL certificate. OEM should be present in the TOP 3 No's as per latest IDC report

## 2. Water Cooler

Dynamic Monitor And Controller with 10° C Temperature Drop	LCD display
Chiller Indicator	Indicates cooling ON
Outer Body Material	Full outer body SS(Preferably SS204CU)
Storage Tank Material	SS304
Compressor	Emerson/Tecumseh
Inlet Water temperature Limit	5~45 $\pm$ 2° C
Refrigerant	R- 134 A
Drinking Water From Faucet	15 $\pm$ 2° C
Operative Voltage	230 + 10% V AC , %0 Hz

## 3. RO Purifier SPECIFICATION

Current In Amps (Max)	2.0 + 0.5A
Power Consumption	700 W
Purification Capacity	Upto 40 Ltr/h
Max. Inlet Water TDS	Up to 1500 ppm (Max hardness 500 ppm)
Resection of salt (TDS)	Up to 90%
Recovery	Up to 55+ 10%
Auto Flush	Power Flushing of filter elements
Sediment filter	Dedicated 10 micron 20" Filter
Carbon Filter	Activated carbon block 10 micron, 20" filter
Water Saver Cartridge	20' water saver cartridge
RO Mambrane	300 GPD X1
Taste Enhancer cartridge	PH correction cartridge
Auto sanitizer – Cooler And RO	ESS- Electronic system sanitizer
Meet Indian drinking water standards	10500
Meets international standards	USEPA

*Handwritten signatures:*  
 Fawaz  
 Jai Gub



#### 4.Smart Board

Parameter		Specifications
Technology		DLED Backlight (IPS)
Display size (Diagonal)		75 inches or higher
Aspect Ratio		16:9 or better
Resolution		3840 X 2160 or higher
Contrast Ratio		5000:1 or higher
Brightness		600 cd/m <sup>2</sup> or higher
Display colour		8 bit-16 million colours or better
Input Ports (Minimum)		HDMI x 2, RGB/VGA x 1, Audio x 1, PC slot x 1, RS232x1
Output Ports (Minimum)		Audio(Earphone out) x 1, SPDIF x1
USB Ports (Minimum)		USB 2.0 Type A x 3, USB 3.0 Type A x 4, USB 2.0 Type B for Touch x 2
Smart USB Port		All USB ports should support sharing Mode with Android, Internal PC or other External PC / Device
Camera Plate		Camera Plate on top for screw-in web cam installation
Communication port		RJ45 x 1 Gigabit LAN Port
Built In Speakers		2.1 Stereo Sound with in-built 20 Watt x 2 speakers and 15 Watt x 1 Sub-Woofer or better
Viewing Angle		Horizontal 178 degrees, Vertical 178 degrees or better
Touch Technology		IR Recognition or better
Touch Resolution		32767 x 32767 or better
Touch Points		10 Points or Higher
Writing Points		10 Points with automatically detect pen diameter (8mm & 2mm) and write simentaneously with different colours and thicknesses.
Pen Recognition		Dual Pen recognition with 2mm tipped pens at real-time lag free response rate.
Split Screen		4 Way Split Screen content sharing software
Touch on/Off		Should have touch on/off functionality
Touch Response Time		15 ms or better
OS Support/Embedded Player		Windows 10/ Windows 8/ Windows 7/Linux/Mac/Android Embedded Player CPU Inbuilt.
Stylus/Pen Holder		Frame/Structure of IFPD should have inbuilt magnetic mechanishm to hold upto two numbers of Stylus/Pen
Networking		DHCP (Auto identification) and Static IP supported
Hardness, Anti Scratch, Anti Glare		Minimum 9 H hardness, scratch resistant, anti-glare, anti-crack resistant

*Handwritten signatures and marks:*

*Handwritten signature: "Freddy"*

*Handwritten signature: "Jai GMB"*



Software Features	Marker, Paint Brush, Highlighter, Laser Pen, Artificial intelligent Pen, Shape Pen, Magic Line Pen, Different sizes available with Region eraser, Shapes,,Text, Generic consist of (shapes,3DShapes, Arrows & Tables), Integrated image serach from internet, Search Light, Screen Curtain, inbuilt browser, screenshot, magnifier, calculator, soft keyboard, Clock, Stop Watch, Geometry Tools, Screen recording, integrated webcam, Desktop Annotation, White board with different backgrounds and colors, Cloud storage, Cloud Download,Page management system. Multiple numbers of images available with internet like nature, sport, Daily necessity, animals. ort documents/contents. Annotation of on video, PPT, PDF. Annotate on PC/ Laptop with the help of smart phone, New, Open, Save, Save as, Import & Export (PNG,JPG,PDF,PPTX,IWB), Print,Youtube Drag & Drop, Magnifier, Youtube integration, Canvas moving, Inbuilt Animation libraries, Follow me AI, Complete Ecosystem om mobile, web & PC, Google for Education partner, Casting in & Casting out from Remote locations via browser, Android & iOS Apps,Multitouch enable or Disable, Switching between presentation & Prepration modes
Save Option	Should have option to save directly to Google Drive and One Drive
Screen Mirroring, Wireless content sharing	Data from Mini PC should be shared wirelessly on multiple Phones/Tablets without any other hardware requirement. IFPD should allow user to share/mirror the content of Laptop/Desktop (Mac, Windows) and mobile device(ios,Android)wirelessly,Wireless presentation should allow user to access their Laptop/Desktop through IFPD
Quiz	Should have in built tool to allow participants to submit answers from their Smart Phones (Answering/Voting/Messaging)
QR Code Scan	Should have file download feature in smart phone just by scanning the QR code
Video Conferencing Interface	Should support USB based PTZ cameras allowing Software based Video Conferencing
Certifications	BIS,CE & RoHS, FCC
Accessories	AC Power cord, User Manual, Remote control, USB interface cable, Two Stylus, Wall mount bracket
Power supply requirement	230V AC +/- 10%, 50 Hz
Max Power consumption	Maximum 140 Watts
<b>Android Hardware</b>	
CPU	Quad Core 1.7 GHz or Higher
Memory	4 GB or Higher Storage
Storage	32 GB eMMC or Higher
Android Version	12 or higher

Note: The specifications mentioned above shall not be meet with the help/population of Open Pluggable System (OPS). The bidders are advised to take into this account and prepare their proposal accordingly. Bidder must submit OEM Authorization

*Handwritten signature*

*Handwritten signature*



5.PRINTER	
Printing Method	Monochrome Laser
Simplex Printing Speed	18 ppm or more
Print Resolution	600 X 600 dpi
First Printout Time	8 seconds or less
Wireless Print	Yes
Available Paper Size for Auto Duplex Print	Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope
Bypass Facility	Yes

## 6.Solar Inverter:

PCUC	10KVA
Battery	200 Ah Tubular battery 10 nos
Solar Panel	330W solar panel with GI structure and chemical earthing.
Installation and commissioning of whole system	

## Furniture

S.NO	Name of the Item	Specification
7.	<u>STUDY CHAIR</u>	<p>Material of Fabric Back Cover leather foam Frame Mater ia IMS</p> <p>Material of Fabric of Seat Cover leather foam Thickness of Plywood used in Seat <math>\pm 1</math>(mm)12 mmGSM/Thickness of Fabric <math>\pm 5</math> (Gram per Sq Meter)220 Gram per Sq Meter Arm Material Polypropelene on metal Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)50 mm Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)60 mm Chair Type With Arms.</p> <p>Type of Seat and BackrestPadded with Polyurethane Foam</p> <p>Frame Type4 Legs</p> <p>Castors Without</p> <p>Size of Material (mm)14 SWG 25 mm round pipe</p> <p>Chair Height <math>\pm 15</math>(mm)890 mm</p> <p>Seat Depth <math>\pm 10</math>(mm)400 mm</p> <p>Seat Width <math>\pm 10</math> (mm)450 mm</p> <p>Seat Height IN MM <math>\pm 5</math>(mm)460</p> <p>Backrest Width <math>\pm 10</math>(mm)430 mm</p> <p>Backrest Height <math>\pm 10</math>(mm)300 mm</p> <p>Arm Length <math>\pm 5</math>(mm)250 mm</p> <p>Arm Width <math>\pm 2</math>(mm)40 mm</p> <p>Paint Type powder coated on MS</p>
08	<u>Steel Almirah</u>	<p>The Almirah shall be of size 916 mm (W) x 486mm (D) x 1500 mm (H). Welded construction (multiple-bend construction should be done with tack welding) made of 1.00 mm thick CRCA for Back, Shelf &amp; 1.00 mm thick CRCA steel confirming to IS-513 Gr. D quality for all other components and full height steel hinged door. One handle with locking mechanism, four adjustable full shelves, M10 screw type leveler with hex plastic base, 4- Step - Anti - Corrosion treatment and the finish shall be of Epoxy Polyester Powder coated should be thickness of 50 microns (+/-10).</p>

*Handwritten signatures and initials at the bottom of the page.*



09	Bed For Girls Hostel	<p>Size: 6' L x 3' W x 2' Feet H in Feet [1800 L x 900 W x 600 H in mm]</p> <p>Material: 1mm MS Sheet with Square Tube with Grey Painting.</p>
10	Dining Table	<ul style="list-style-type: none"> <li>• Product Configuration: Provision for 08persons</li> <li>• Design of Table: Rectangular Design of foldable Chair: Round</li> </ul> <p><b>MATERIAL AND MATERIAL THICKNESS</b></p> <ul style="list-style-type: none"> <li>• Table top / Chair seat material: Stainless steel Grade 304 galvanized</li> <li>• Table top / Chair seat thickness: 1.5mm</li> <li>• Leg material for Table and Chair: Stainless steel Grade 304 galvanized</li> <li>• Wall thickness of Leg material (for Table and Chair): 1.0 mm</li> <li>• Support material for Table and Chair: Stainless steel Grade 304 galvanized</li> <li>• Wall thickness of Support material (for Table and Chair): 1.0 mm</li> <li>• Backrest material for Chair: No backrest</li> <li>• Table - Chair attaching material: Stainless steel Grade 304 galvanized</li> <li>• Wall thickness of Table and chair attachment: 1.0 mm</li> <li>• Number of support for Table top: 4 no.</li> <li>• Number of support for chair/bench seat: 4 nos.</li> <li>• Number of Legs in table: 4 legs</li> <li>• Number of Legs in chair: 4 legs</li> <li>• Leg material &amp; support for table &amp; chair M.S. E.R.W tubes confirming to IS 7138-latest, Dimensions</li> <li>• Width of table <math>\pm 10</math> mm: 1880 for 6-seater</li> <li>• Depth of table <math>\pm 10</math> mm: 840 mm</li> <li>• Height of table <math>\pm 10</math> mm: 760 mm</li> <li>• Table Leg size <math>\pm 2</math> mm: 40 mm x 40 mm</li> <li>• Chair Leg size <math>\pm 2</math> mm: 25 mm x 25 mm</li> <li>• Size of support pipes/square sections (for table): 20 mm x 25 mm</li> <li>• Size of support pipes/square sections (for chair): 15 mm x 20 mm</li> <li>• Chair seat width / Dia <math>\pm 10</math> mm: 250 mm</li> <li>• Chair seat depth <math>\pm 10</math> mm: 300 mm</li> <li>• Chair seat height <math>\pm 5</math> mm: 500 mm</li> <li>• Overall height of chair (including backrest) <math>\pm 10</math> mm: 900 mm</li> </ul>
11	<u>STUDY TABLE</u>	<p>Overall Dimension: -</p> <p>length: 900mm, width: 600mm, Height: 750mm, Work surface - 18mm thick pre-laminate board (PLB). All work surface edges are duly sealed with 2 mm thick PVC beading. Under structure frame - CRCA MS sheet 9mm thick. MS ERW round Tubes: Dia 25.4mm x 1.2 mm thick</p> <p>Storage Unit: - 3 box drawer one side and (1 box &amp; 1 filing) drawer another side, having size both end 355.5 mm (W) x 550 mm (D) X 433.5 mm (H), 1.00 mm thick CRCA MS shell, 1.00 mm thick drawer tray (should have a slot and the stopped strips metal sheet at the rear for holding the drawer in the box when it is fully opened.)</p>



12	Physics Lab Table	<p>Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm]</p> <p>Table Top: 18mm (±)thick pre-laminate board.</p> <p>Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Storage Cupboards: Modular Cabinet – 2nos with Drawer and Double doors. [Inner 1no. Horizontal Partition]</p> <p>Switch and Sockets: 16/5 amps 8 Nos.</p>
13	Chemistry Lab Table	<p>Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm]</p> <p>Table Top: 18mm (±) Black Polished Granite.</p> <p>Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Storage Cupboards: Modular Cabinet – 2nos with Drawer and Double doors. [Inner 1no. Horizontal Partition]</p> <p>Regent Rack: 3'L x 1'W x 2'H – Two tier</p> <p>Switch and Sockets: 16/5 amps 8 Nos.</p> <p>Sink Size: PP Sink [560L x 355W x 240H] – 1No.</p> <p>Water Tap: 3 Way Tap brass with Epoxy Polyester Power Coated.</p> <p>GAS CONNECTION: MS Gas Pipeline Work</p> <p>MS Pipe, Elbow, "T", Bunsen Burner, Valve, Pressure Meter Gauge, Tubes, Clamp, Other Accessories, Gas Welding, etc.,</p>
14	ZOOLOGY LAB TABLE	<p>Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm]</p> <p>Table Top: 18mm (±)thick pre-laminate board.</p> <p>Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Storage Cupboards: Modular Cabinet – 2nos with Drawer and Double doors. [Inner 1no. Horizontal Partition]</p> <p>Switch and Sockets: 16/5 amps 8 Nos.</p> <p>Sink Size: PP Sink [560L x 355W x 240H] – 1No.</p> <p>Water Tap: 3 Way Tap brass with Epoxy Polyester Power Coated.</p>
15	BOTANY LAB TABLE	<p>Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm]</p> <p>Table Top: 18mm (±) thick pre-laminate board.</p> <p>Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Storage Cupboards: Modular Cabinet – 2nos with Drawer and Double doors. [Inner 1no. Horizontal Partition]</p> <p>Switch and Sockets: 16/5 amps 8 Nos.</p> <p>Sink Size: PP Sink [560L x 355W x 240H] – 1No.</p> <p>Water Tap: 3 Way Tap brass with Epoxy Polyester Power Coated.</p>
16	GEOGRAPHY LAB TABLE	<p>Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm]</p> <p>Table Top: 18mm (±) thick pre-laminate board.</p> <p>Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p> <p>Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.</p>

*Envel*

*for*



17	PSYCHOLOGY LAB TABLE	Size: 6' L x 5' W x 3' Feet H in Feet [1800 L x 1500 W x 900 H in mm] Table Top: 18mm (±) thick pre-laminate board. Table Materials: 20-gauge GI Sheet with Epoxy Polyester Powder Coated. Table Support Tube Frame: 40 x 40 mm 20-gauge GI Sheet with Epoxy Polyester Powder Coated.
18	Bench Desk	Bench Frame made up of 1×1 16 gauge heavy pipe and Pre Laminated 18mm MDF board with 1mm edge bind on all the open side of the board Seat size 72" × 12", back Height 72" × 8", top size 72" × 14", Front panel 72" × 8", Book Shelf 72" × 10", height of seat from ground 17", Height of writing Top 30".
19	Visitors Chair	DIMENSION Minimum seat height from floor surface 400 mm Minimum Seat height adjustment Up to 100 mm Minimum width of seat 450 mm Minimum depth of seat 450 mm Minimum width of backrest 450 mm Backrest height Low back (350 to 450 mm) Minimum thickness of MS Plate Joining the under structure with Seat 3 mm Minimum pedestal size (diameter) 650 mm
20	Warden Bed	Supplying, and placing in position of Queen Size Bed,Material & Subtype Laminate, Engineered Wood - Particle Board, Plywood Headboard Material Engineered Wood, Laminate Base Material Laminate, Engineered Wood Frame Material Laminate, Engineered Wood Finish Matte Color & Color Family Brown - Brentwood Oak Dimension (W)1580mm X (D)2270mm X (H)800mm Headboard Height 505mm Seating Height 425mm Function Headboard Storage The product must be from a Manufacturer having ISO 9001,ISO 14001,,AIOTA ,BIFMA COMPLIANT, GREEN GUARD,SEDEX CERTIFICATE. WARRANTY-5YEARS
21	Parda for Girls Hostel	As per the Size of the Windows.
22	Fire Extinguisher	5Kg ABC powder type with ISI mark and one year warranty.
23	CCTV Camera	4 MP Fixed Bullet Network Camera is designed for superior surveillance performance with 4 MP resolution, equipped with IR night vision and motion detection, it ensures comprehensive security monitoring around the clock. Key Features: High quality imaging with 4 MP resolutionClear imaging against strong back light due to 120 dB WDR technology Efficient H.265+ Compression technology Water and dust resistant (IP67)with required nos of DVR,Monitor and Connecting Cables and Power Backup.
24	TubeLight	20w Tube Light(LED Batten)65k lumens of any reputed Make.

*Funder*

*Jas GNB*



## Annexure-A

### BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

The Principal  
Ram Narayan Memorial College, Hunterganj, Chatra (India) 825401.

WHEREAS.....(Name and address of the Supplier) (hereinafter called "the Supplier") has undertaken, in pursuance of contract no..... dated ..... (hereinafter called "the contract") to supply

....  
AND WHERE AS it has been stipulated by you in the said contract that the Supplier shall furnish you with a bank guarantee by a scheduled nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with and due performance of the contract;

AND WHERE AS we have agreed to give the Supplier such a bank guarantee;

NOW THEREFORE we here by affirm that we are guarantors and responsible to you, on behalf of the Supplier, up to a total of (amount of the guarantee in words and figures), and we hereby irrevocably and absolutely undertake to pay you immediately, upon your first written demand declaring the Supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We here by waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the Supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

The Bank guarantee shall be interpreted in accordance with the laws of India. The Guarantor Bank represents that this Bank Guarantee has been established in such form and with such content that is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

The Bank Guarantee shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank or the Supplier. The Bank further undertakes not to revoke this Guarantee during its currency except with the previous express consent of the Buyer in writing. The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorized and has full power to execute this Guarantee for an on behalf of the Bank. This guarantee shall be valid up to and including the.....day of.....,20.....

.....  
(Signature with date of the authorized officer of the Bank)

.....  
Name and designation of the officer

.....  
Seal, name & address of the Bank and address of the Branch

*Handwritten signature: Pradipta*  
*Handwritten signature: P. C. B.*



**Annexure – C**  
**FINANCIAL BID FORMAT**

S.NO	Item	Qty	Unit Price	Total
1	AiO Computer	9		
2	Water cooler	1		
3	RO Purifier	1		
4	Smart Board	3		
5	PRINTER	2		
6	SOLAR INVERTER	1		
7	Study Chair	32		
8	Steel Almirah	32		
9	Bed for Girls Hostel	32		
10	DINING TABLE	4		
11	Study Table	32		
12	Physics Lab - Practical Table	1		
13	Chemistry Lab- Complete table with gas connection, water basin and basin for chemicals	2		
14	Zoology Lab - Table with water basin	2		
15	Botany Lab - Table with water basin	1		
16	Geography Lab - Table	3		
17	Psychology Lab - Table	1		
18	BENCH DESK	100		
19	VISITORS CHAIR	30		
20	WARDEN BED	1		
21	Parda for Girls hostel			
22	FIRE EXTINGUISHER	4		
23	CCTV for Girls Hostel			
24	TUBELIGHT	60		
<b>Total</b>				

Note:

- A. The Bidder shall quote composite price inclusive of supply, Installation, Testing, Commissioning, Training & all Taxes for each of the Items.
- B. The Bidder Shall Strictly follow the technical specifications of all the items as per Part III of the tender document.
- C. If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.

Signature:

Printed Name & Designation:

Company seal:

Date:

*Handwritten signature*

*Handwritten signature*