R.N.M. College Hunterganj, Chatra, Jharkhand PIN-825401



TENDER DOCUMENT

For

Procurement of Various Items Under RUSA scheme

This page is intentionally left as blank



TENDER NOTICE

R.N.M. College Hunterganj, Chatra invites tenders from the eligible bidders for the supply of various items for the project under RUSA Scheme in 2 separate envelopes. The tender document may be downloaded from the college official website i.e. www.rnmcollege.com.

Principal and Charge Hunter An

(Notice Inviting Tender)

R.N.M. College Hunterganj, Chatra-825401

S.No	Name of the office inviting Tenders	Principal, R.N.M. College Hunterganj
1.	Name of Work	Procurment of Various Items under RUSA Scheme
2.	EMD of Tender to be deposited for each package(Refundable)	Rs. 50,000/-
3.	Tender Cost for each packet(Non Refundable)	Rs. 2000/-
4.	Date of issue of Tender Document	14.11.2022
5.	Last Date of Submission of Tender Paper	05.12.2022 till 1:00pm
6.	Date of Opening of Tender	05.12.2022 at 2:00pm
7.	Tender No.	RNMCH/01/2022-23
8.	Detail of Demand Draft (D.D)	In favor of R.N.M. College, Hunterganj

The tender can be seen/Downloaded from the website of the college www.rnmcollege.com /or from office of the College

Principal

Principal
Ram Narayan Memorial College
Huntergani (Chatra)

[4]11 | 222

Schedule of Items

Package	Particulars	
	A) Desk Top PC	
	B) Laptop	
	C) Digital Board	
	D) Steel Water Cooler	
Package#1: IT and	E) Multifunction Printer	
Electronics	F) Audio Podium	
	G) Solar Inverter (10 KVA)	
	H) Public Addressable System	
	I) Accessories and Network	
	J) 1 KVA UPS	
B 1 1 110	A) Chair	
Package#2: Furniture	B) Steel Almirah	
Turinture	C) Office Table	
	D) Lecturer Table	
	E) Sofa	
	F) Combination Board	
Package#3: Training	A) Beautician Course Kit	
Kits	B) Tailoring Machine	

PART-I

ELIGIBILITY CRITERIA AND GENERAL TERMS & CONDITIONS FOR TENDERERS

- The technical bid must be submitted with the Tender Cost and Earnest Money Deposit (EMD) mentioned in the NIT. Failing to this, the bid will be summarily rejected.
- The bidder should be a Proprietorship Firm/Partnership firm/Company. No consortium is allowed. Relevant declaration in the support of this statement must be submitted.
- 4. Only manufacturer(s) or their sole authorized distributor/ supplier are eligible to bid. Authorization letter from Original Equipment Manufacturer (OEM) in favor of authorized supplier to bid/ negotiate/conclude the order against this tender, must be enclosed with the bid.
- 5. The bidder shall append a certificate with the tender that the firm has not been debarred/ blacklisted for any reason/ period by any central/ state govt. dept./ University/ PSU etc. If so, of the same may be furnished. Concealment of facts shall not only lead to cancellation of the order but may warrant legal action.
- 6. PAN & GST registration certificates are to be submitted with the Technical bid.
- 7. The Bidder should be registered with GST for the last 3 years. The certified copies of GST Registration Certificate, with latest GST return copy are to be enclosed with the bid. (submit self-attested documents).
- Bidder should have the registration in Government E-marketplace (GeM). A documentary evidence in this
 regard shall be submitted along with the bid.
- 9. Annual Average Turnover of the bidder should be Rs. 3 Crores and above in the last 3 Financial years and should have been audited by a charted accountant (The Audited Balance Sheets mentioning their turnover shall be enclosed with a Covering letter of CA mentioning UDIN of the certificate).
- The Income tax return for the last 3 years shall be enclosed.
- 11. The bidder Should have experience of similar nature of work in last three Years for at least 80% of items mentioned in the bid. The cost of individual order shall not less than to Rs. 5.00 Lakhs. (Attach Supply Order).
- 12. The Firm submitting Tender should have a minimum experience of three consecutive years of supply in College/University/Higher Educational institutions of Jharkhand. Following documents are permissible as documentary evidence of 3 years' experience:
 - a. Self-attested copies of work experience certificates issued from the concerned institutions; or
 - b. Self-attested copies of Work Orders and invoice raised against the same; or
 - c. Contract of GeM orders and their Consignee Receipt and Acceptance Certificate (CRAC).
- 13. The bidder should have their offices in Jharkhand to provide essential on-site service to the clients. If the bidder's office is not currently established in Jharkhand, an undertaking on the company's letterhead shall be submitted along with the bid that if they will be awarded the work, necessary on-site service arrangement will be assured by the Authorised Service Centre/Person of the concerned Original Equipment Manufacturer (OEM). In this letter, the details of OEM wise Service Centre (Local Address proof, GST registration certificate of Jharkhand, procedure of complaint booking and escalation matrix of the complaint) shall be enclosed.

- 14. Offers should strictly be as per the technical specifications as mentioned in Part-III of RFP. No deviation shall be accepted; (Deviations are likely to render the tender non-considerable. Bidders are advised not to deviate).
- Price must be quoted Freight on Road (F.O.R.) to R.N.M. College, Hunterganj, Chatra and inclusive of all charges/taxes. Any tax will not be added after the submission of financial bid.
- 16. Bidders to quote the Unit price for each items of individual packages as per the Financial Bid format of the document. Bids submitted with the Price for selective items of individual packages only will be considered for rejection. No alternative price for any of the item will be entertained.
- 17. After the award of work, the supplier shall be required to submit the performance security in the form of irrevocable bank guarantee in the prescribed format (Annexure-B) issued by any Scheduled Commercial Bank, for an amount equal to the 3% of order value. The performance security will be refunded after the expiry of warranty period of items without any bank interest. The validity will be counted for a period of 60 days beyond the date of completion of warranty period. Warranty Period will be commenced from the date of the installation of the supplied item. Hence, be careful at the time of calculation of the validity date of Performance Bank Guarantee.
- 18. 97% payment against delivery and satisfactory installation, and balance 3% after the submission of Performance security. It is must to submit the Performance Security within 15 days after the delivery of the ordered material otherwise the remaining 3% payment (equal to the amount of Performance Security) will be forfeited, due to noncompliance of tender Terms & Conditions.
- 19. Payment shall be made after quality and quantity of items supplied is verified and certified by a competent team constituted by the college. Allthe payments of the supplied items will be made through PFMS after the deduction of income and other admissible taxes.
- 20. Price must be quoted in Indian rupees inclusive of all taxes and typed in both word and figure. Typing errors or cutting must be countersigned by due initial with date. Non-compliance or overwriting will lead to rejection of quotation.
- 21. Prices quoted in the bid must be valid up to 180 days from date of submission of quotation.
- 22. The technical bids shall be opened on _05-12-2022______ at 02.00 PM in the office of undersigned. The Financial Bids of those Bidders will be opened whose technical bids meet all the required Technical specifications certified by the technical team. Work order will be given to the bidder whose total quoted price is found the lowest i.e. to L1.
- Quantity of the items will be finalized by the College as per the availability of fund.
- 24. Supply is to be provided within 30 days from date of issue of order.
- 25. All the interested bidders are required to see Notice Board/ Website of the college for any further change/corrigendum and proper understanding of the requirement.
- 26. In case of any confusion in the interpretation of any word/sentence, the decision of the tendering authority will be final.
- 27. The contract shall be governed by the laws and procedures established by Govt. of India, within the frame work of applicable legislation and enactment made from time to time concerning such Commercial dealings/processing. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Ranchi, Jharkhand, India only. The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Ranchi, Jharkhand. The decision of the Arbitrator shall be final and binding on both the parties.
- 28. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason.
- Technical Catalogue of quoted product to be attached with the technical bid and same should be available on OEM website. Non-compliance shall result in rejection of tender.

- 30. Bidder will provide instruction manual of all equipment mentioning list of functions & features as per technical specifications on or before bid submission date. Non-compliance shall result in rejection of tender.
- 31. After Successful delivery and commissioning of supplied items, the bidder have to demonstrate the feature and functions of each items and as and when requested provide essential training to the staffs of the college.
- 32. The bidder shall ensure that OEM of the items quoted must have ISO 50001:2011/ISO 14001:2004/ ISO-9001:2008/OHSAS 18001:2007 Certificate and Green Guard Certificate/Green Business Certificate. A copy of the above certificates shall be enclosed with the Technical Bid.
- 33. The bidder/firms should have electrical license issued by Energy Department, ISO 9001:2015 and ISO 14001:2015 certificates.
- 34. The college should have all the right to reject/select lowest bidders if major variations are found in make/rates of the items quoted. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason or relax any condition at any stage of tender process.

Part II - Essential Details of Items/ Services required

 Bidders are required to furnish clause wise compliance of specifications of each item as mentioned in the Part-III of RFP to bringing out clearly the deviations from specification, if any. The Bidders shall submit the compliance statement in the following format along with Technical Bid:-

SN.	Para of Tender specifications item wise	Specification of item offered	Compliance to tender specification- whether Yes/No	In case of non- compliance, deviation from Tender to be specified in unambiguous terms	
Name of the Item:					
1.					
2.					
3.				,	

Part-III

Minimum Technical Specifications of required items

Package#1: IT and Electronics

A. Technical Specification of All in One I	to the DSCO objects
Processor Make	Intel core 15 with B500 empset
Processor Generation	11
Number of Cores per Processor	6
Processor Base Frequency (GHz)	2.6 GHz or higher
Processor Description	Intel Core i5 or higher
	Intel Core i5 11400 or higher
Processor Number	Integrated
Graphics Type (Factory Pro Loaded)	Windows 10 Professional or higher
Operating System (Factory Pre-Loaded)	8
RAM Size (GB)	
RAM Expandability up to(using spare DIMM Slots in GB)	64
Type of Drives used to populate the	HDD
Internal Bays	ave CD CCD on Higher
Total HDD Capacity (GB)	512GB SSD or Higher
Monitor Technology	IPS
LED Backlit Monitor Size (INCHES)	21.5"
Monitor Resolution (PIXELS)	1920x1080
Availability of Webcam integrated with	No
Monitor Availability of Speakers integrated with	Yes
Monitor	
Mouse Connectivity	Wired
Keyboard Connectivity	Wired
On Site OEM Warranty (Year)	3
On Site OEM Warranty (1989)	Minimum 120 Watt with 85% - 94% efficiency
Power Supply	S CDLL (stehed/ embossed/ printed, no
Keyboard & Mouse	Same brand & colour of CFO (etched Smooth price of the Stickers) USB Keyboard with Rupee Symbol & at least 104 keys with Caps Lock, Num Lock and Scroll Lock indicators Should be CE and FCC compliant. Same brand (etched/Embossed/ printed, no stickers) Optical USB scroll Mouse. Should be CE, and FCC compliant Yes
WiFi and Bluetooth	NA NA
Optical Drive	8nos 4+4
USB	DP/VGA, HDMI Port, RJ-45, M.2
Ports	MS Office 2021 Standard
Pre-Installed Software	3 years comprehensive on-site

Additional Terms & Conditions:-

- TIDC top 4 Brand are allowed. OEM should have functional Local service center in Jharkhand with dedicated toll free no (details should be provided on OEM latter head)
- OEM should have turnover of Rs. 2000 crore or higher.
- OS declaration on OEM latter head with proper signature, stamp & mail id

B. Specification of Laptop			
Processor	Intel® Core [™] i5-1135G7 (2.4 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 8 MB L3 cache, 4 cores, 8 threads);		
Maximum memory	32 GB DDR4-3200 SDRAM Both slots are accessible/upgradeable by IT or self-maintainers only. Supports dual channel memory		
Memory slots	2 SODIMM		
Internal storage	up to 512 GB Intel® PCIe® NVMe [™] QLC M.2 SSD with 32 GB Intel® Optane [™] memory H10		
Display size (diagonal, metric)	35.56 cm (14")		
Display	35.6 cm (14") diagonal, FHD (1920 x 1080), IPS, narrow bezel, anti-glare, 1000 nits, 100% sRGB		
Available Graphics	Integrated: Intel® Iris® X ^c Graphics; Intel® UHD Graphics		
Audio	Dual stereo speakers, dual array microphone		
Ports and Connectors	3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging, 1 power); 1 HDMI 1.4b; 1 headphone/microphone combo; 1 AC power; 1 RJ-45; (HDMI cable sold separately.); Optional Ports: 1 SuperSpeed USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort TM 1.4)		
Input devices	CU: 1. and with multi-touch gesture support		
Communications	Realtek 10/100/1000 GbE NIC; Realtek 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 5 combo; Intel® Wi-Fi 6 AX201 (2x2) and Bluetooth® 5 combo, vPro®; Realtek Wi-Fi 6 RTL8852AE 802.11a/b/g/n/ax (2x2) and Bluetooth® 5.2 combo		
Camera	720p HD camera		
Battery type	Long Life 3-cell, 45 Wh polymer		
Battery life	Up to 12 hours and 45 minutes		
Dimensions	32.19 x 21.39 x 1.99 cm		
Weight	Starting at 1.38 kg		
Operating Systems	Windows 11 Professional		
Pre-Installed Software	MS Office 2021 Standard		
Warranty	3 years comprehensive on-site		

Specification of Digital	Board
SPLAY SYSTEM	 (a) Display Size, Surface & Technology Min. 75 inch (Diagonal) Hardened surface with Anti Scratch & Anti Glare Surface LED with min. 60 Hz refresh rate Resolution: 3840 x 2160 (Min.) (for Landscape) Aspect Ratio: 16:9 Viewing Angle Range (Min.): 176° (Horizontal) to 176° (Vertical) (b) Operating Specs: Power Supply: 240 V; 50 Hz Operating temp: 0° C to 50° C Operating Humidity: 10% to 80% Wall Mountable
	(c) Audio • Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker) (d) Remote
	Remote Controller (Full functional; remote with batteries)
TOUCH SYSTEM	 (a) Type: Infra-Red based (b) Inputs for Touch: Finger, Gloved Fingers, Opaque Objects / Touch Pens (c) No. of touch pens (with suitable tray/pen holder): Qty 2 (d) Touch Scan Rate: 50 Scans / sec (Min.) (e) Touch Points: Multi touch (Min. 10 Touch Points)
	(f) (Response Time : less than 15 msec (g) Touch accuracy : ± 2 mm (Over 90% Area)
I/O SYSTEM	(a) HDMI (ver 2.0) - Min.2 ports (b) RJ 45 - Min 1 Port (with 5 m Patch Cable) (c) Wi-Fi (802.11 b/g/n/ac) with Hotspot feature (d) HDMI output (with cable to connect external monitor/ device)
	(d) HDM1 output (with easts to USB (3.0) – Min. 1 Port (e) USB (2.0) – Min. 2 Ports + USB (3.0) – Min. 1 Port
EMBEDDED SYSTE & SOFTWARE	 (Min) Quad Processor based Soc (Processor Main Memory: 4 GB or Higher Internal Storage: 32 GB or Higher Slot for Open Pluggable System (OPS)/ mini PC
	 (b) Operating System: Android / Linux / Open Source based O.S. (Latest Version)
	 (c) Software Apps (Pre-loaded) Content Management Systems & Apps to support Writing, Drawing, Eraser Screen Capture, Video Player, Recording, File & Folder Manager, Storag Management, Print, Email, etc. Web browser Screen Sharing (Mira Cast) / (Google Cast) Factory Resetting Security features - Pin based and / or Password based.
	 Over the Air update of Apps & O.S. Appropriate App Store (Repository) of Google Play Services (GPS equivalent Apps for viewing / display of PDF & Window format files.
CERTIFICATIONS	BIS, RoHS, CE, FCC 5 years comprehensive on-site warranty Comprehensive of Open Pluggable Systems of Open Systems of Open Systems of Open Systems
- root r	5 years comprehensive on-site warranty ons mentioned above shall not be meet with the help/population of Open Pluggable System to include the take into this account and prepare their proposal accordingly.

p. Specification of Steel Water Cooler			
with 10° C Temperature Drop	Yes		
Dynamic Monitor AndController	LCD display		
Chiller Indicator	Indicates cooling ON		
Outer Body Material	Full outer body SS(Preferably SS204CU)		
Storage Tank Material	SS304		
Compressor	Emerson/Tecumseh		
Inlet Water temperature Limit	5~45 <u>+</u> 2°C		
Refrigerant	R- 134 A		
Drinking Water From Faucet	15 <u>+</u> 2° C		
Operative Voltage	230 + 10% V AC , %0 Hz		
Current In Amps (Max)	2.0 <u>+ 0.5A</u>		
Power Consumption	700 W		
Purification Capacity	Upto 40 Ltr/h		
Max. Inlet Water TDS	Up to 1500 ppm (Max hardness 500 ppm)		
Resection of salt (TDS)	Up to 90%		
Recovery	Up to 55+ 10%		
Auto Flush	Power Flushing of filter elements		
Sediment filter	Dedicated 10 micron 20" Filter		
Carbon Filter	Activated carbon block 10 micron, 20" filter		
Water Saver Cartridge	20' water saver cartridge		
RO Mambrane	300 GPD X1		
Taste Enhancer cartridge	PH correction cartridge		
Auto sanitizer – Cooler And RO	ESS- Electronic system sanitizer		
Meet Indian drinking water standards	10500		
Meets international standards	USEPA		

Speci	fication of All in One Laser Printer	
RINT		
	Printing Method	Monochrome Laser
2	Simplex Printing Speed	40 ppm or more
3	Print Resolution	1200 X 1200 dpi
4	First Printout Time	10 seconds or less
5	Auto Duplex Print	Standard
6	Available Paper Size for Auto Duplex Print	Plain Paper, Heavy Paper, Transparency, Label, Index Card, Envelope
7	Bypass Facility	Yes
. 1	HANDLING	
1	Duplex Auto Document Feeder(DADF)	50 sheets
	Available Paper Size for DADF	A4, B5, A5, B6, Letter, Legal
2		250 sheets (Plain Paper), 1 Sheet Multipurpose Tray
3	Paper Input(Standard)	100 sheets
4	Paper Output	A4, B5, A5, B6, Letter, Legal
5	Paper Sizes (Standard Cassette)	AA DS AS B6 Letter, Legal
6	Paper Sizes (Multi-Purpose Tray)	Plain Paper, Heavy Paper, Transparency, Label, Index Card
7	Paper Type	Envelope
SCAN		- La
1	Scan Resolution	Optical 1200 X 1200 dpi or better
2	Scan speed	Upto 12 ppm (B&W), Upto 5 ppm (Color)
3	Full Scan	Yes; USB & Network
4	Push Scan (Scan to PC)	Yes; USB & Network
5	Scan Features	TWAIN compatible
 6	Scan Output	pdf, jpg, tiff etc.
 7	Scanning Options	Color, Greyscale, B&W etc.
COP		
1	Copy Speed (Simplex A4)	40 cpm or more
	First Copy Out Time	10 seconds or less
$\frac{2}{3}$	Reduce / Enlargement	25% - 400%
CON	NECTIVITY AND SOFTWARE	1 to/100 Barra T Etharnat Nativark
1	Standard Interfaces	USB 2.0 High Speed, 10/100 Base T Ethernet Network, Phone Line Port
2	Network Security(Wired)	IP / MAC Address Filtering
3	Compatible OS	Ubuntu / Windows (32 & 64 bit both)
GEN	ERAL SPECIFICATIONS	Laura manata di da
1	Memory	512 MB or higher
2	Power Requirements	AC 220-240V, 50/60 Hz
3	Energy Certification	Energy Star (EPA) ver 5.0 /BEE India Star ver 1
4	4 Warranty 3 years on site comprehensive warranty ALL THE ABOVE SPECIFICATIONS SHOULD BE READ AS EQUIVALENT OR BETTER	

F. Specification of Multifunction Printer	Laser
print Technology	Multifunction Machine
Type of Machine	Mono
Type of Printing	Separate Drum and Toner
Cartridge Technology	A3
platen/Flatbed Size	A3/A3
Paper Size (Original/Image)	2018 or higher
RAM Size (MB)	SSD 8GB (Standard) / HDD 320GB as Standard
Composity (GB)	SSD 8GB (Glainers)
Hard Disk Capacity (GB) Minimum Speed per Minute as per ISO/IEC 24734 in A4	32 or Higher
Size-Mono	Yes
Scanning Feature Availability	9 inch color touch LCD panel
Control Panel	Yes
Duplexing Feature Availability	No
Faxing Feature Availability	Yes
Networking Feature Availability	No
Wi Fi Capability	DADF Or Higher
Original Document Feeder Type	2
Number of Main Paper Tray	500 or Higher
Each Main Paper Tray Capacity (Number)	Yes
Bypass Facility The Rock supplied with	20000 or Higher
Yield of the cartridge/Ink Tank/Ink Tack Sept. Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints) Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	600000 or Higher
(Number of Prints)	2000000 Pages
Machine Life	2 Vears
Warranty Additional Term & Conditions:-	OEM/Bidder should submit in sign bid specific MAF to ensure authenticity of MAF & Proper after Sale/Service & the same MAF will be validated by Respective OEM during the technical evaluation. In case any bidder/reseller unable to provide the same, their bid will be rejected.

6. Specification of Digital Audio Podium	
Construction	Wooden Top Assembly should be available with I Gooseneck Phantom Powered Microphone and I LED Lamp. It should have Metallic Base supporting the whole system and balancing the overall weight uniformly.
Speaker Stand	Should have inbuilt Speaker Stand consists of minimum 3 Speakers on front side.
In-Built Speakers	Two speakers of 40 watt each with 20 watt subwoofer
VHF Wireless Mic	wireless microphone receiver with Two VHF wireless handheld microphones of 10 Metres range
Output Wattage	100W
Input/ Output	One Line RCA input, One Microphone Input, 1 Line RCA Output.
Input Sensitivity	Microphone1: $10MV/680\Omega$, Microphone2: $10MV/600\Omega$, Aux: $350MV/10K\Omega$
Pre-Output	1V/0dB
Digital Amplifier	Class-D
Audio Format Support	Mp3
Support Capacity	Dedicated USB port and Micro SD slot with minimum 32GB drive capacity support
Sound Quality Control	Bass 10dB/Treble 10dB
Frequency Response	100-16KHz(+1dB,-3dB)
Wireless Transmission Distance	10-15 Meter
Power Supply	AC 220V / 50Hz
Power Consumption	Power Consumption

Specification of Solar Inverter	
PCUC	10KVA
Battery	200 Ah Tubular battery 10 nos
Solar Panel	330W solar panel with GI structure and chemical earthing.

, Specification of Public Addressable System	
PA Cabinet Loudspeakers	Power Rating: 200W RMS/400W Programme, Configuration: Two Way, Frequency response 50-20,000Hz, Low frequency speaker I × 381mm (15"), Ø50.8mm (2.0") Voice Coil, High frequency unit I × Piezo Horn Tweeter, 76.2mm (3") × 152.4mm (6"), Spl at (1W/1m) 98dB, Max. rated SPL: 121dB, Nominal impedance 8Ω, Port: Free Flow Flared, Input connectors: 1/4" Phone Jack + Terminal Strip, Dimensions W490 × H680 × D415mm
Amplifier with Digital Player	Power Output:300W Max., 250W RMS at 10% THD 220W RMS at 5% THD, 200W RMS at 2% THD Output Regulation: ≤ 2 dB, no load to full load at 1kHz Input Channels $6 \times \text{Mic } 0.65 \text{mV}/4.7 \text{k}\Omega$, $2 \times \text{Aux } 100 \text{mV}/470 \text{ k}\Omega$, $1 \times \text{Line } 1 \text{V}/50 \text{k}\Omega$, Frequency Response:50-15,000Hz $\pm 3 \text{dB}$ Signal to Noise Ratio 60dB, Tone Controls Bass: $\pm 10 \text{dB}$ at 100Hz , Treble: $\pm 10 \text{dB}$ at 10kHz OUTPUT Preamp $200 \text{mV}/600\Omega$, Line $1 \text{V}/1 \text{k}\Omega$, Speaker OUTPUT 4Ω , 8Ω , $70 \times 100 \text{V}$, DIGITAL PLAYER MP3 Player with USB, SD and MMC Card Reader, Bluetooth, Power Supply AC: $220-240 \times 50/60 \text{Hz}$, DC: $24 \times (2 \times 12 \times 12 \times 12 \times 12 \times 12 \times 12 \times 12$
Microphone	DUAL PA Wireless Microphones with receiver

J. Specification of Accessories & Networking

Laying, Installation and commissioning of Local Area Network (LAN) with Supply of Switches, Rack, Conduit, Cable Manager, PDU, Patch Panel, Patch Cords etc.

pecification of 1 KVA UP	1 KVA with 30 minutes Back Up				
Phase Single Phase					
Voltage Range 160 VAC - 300 VAC (Based on Load Percentage)					
Frequency 50/60 Hz(Auto Sensing)					
			Power Factor	0.77	
Output 220 VAC / 230VAC/240VAC					
Voltage	+/-1%				
Voltage Regulation					
Frequency	50/60 Hz +/1 Hz				
Synchronization Range	47.5 Hz / 52.5 Hz				
Voltage Distortion	<3% (Linear Load)				
	< 5% (Non-Linear Load)				
Output Waveform	Pure Sine Wave				
Efficiency (Ac-Ac)	Upto 97%				
Power Factor	0.8				
Backup Time	30 Mins (Min VAH Required 2016)				
Battery					
Scaled Lead Acid Maintenance Free, Lead Feet					
Battery Type	Quantity Depending on Backup Time				
Dc Voltage	Min 72 V				
Features	1 - Habla				
Converter Mode	Available				
Bypass Parameters	Available				
Configurable Dc Bus Voltage	Adjustable				
General	-				
Operating	0 To 40°C Continuous				
Temperature					
Display & Indication	LCD Display				
Communication Inter	rface				
Standard	Rs 232 Optional-SNMP/Modbus/Dry Contacts				
Intelligent Slot	EN/IEC 62040-1				
Safety	777.2 (2010.1				
EMI / EMC	EN/IEC 62040-1 ISO 9001, ISO 14001,OHAS 45001, CE CERTIFICATE, BIS				
Certification	CERTIFICATE, PEP				
Required Support	OEM Own Service Centre				
	03 Years Onsite				

package#2 :-Furniture

s.NO	Name of the Item	Specification			
1.	<u>Chair</u>	Material of Fabric Back Cover leather foam Frame MaterialMS, Material of Fabric of Seat Cover leather foam Thickness of Plywood used in Seat ±1(mm)12 mmGSM/Thickness of Fabric ±5 (Gram per Sq Meter)220 Gram per Sq Meter Arm Material Polypropelene on metal, Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)50 mm Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)60 mm Chair Type With Arms, Type of Seat and BackrestPadded with Polyurethane Foam, Frame Type4 Legs, Castors Without Size of Material (mm)14 SWG 25 mm round pipe Chair Height ±15(mm)890 mm, Seat Depth ±10(mm)400 mm Seat Width ±10 (mm)450 mm, Seat Height IN MM 5(mm)460 Backrest Width ±10(mm)430 mm, Backrest Height10(mm)300 mm, Arm Length ±5(mm)250 mm Arm Width ±2(mm)40 mm, Paint Type powder coated on MS			
2.	Steel Almirah	The Almirah shall be of size 916 mm (W) in 1981 mm (H). Welded construction (multiple-bend construction should be done with tack welding) made of 1.00 mm thick CRCA for Back, Shelf & 1.00 mm thick CRCA steel confirming to IS-513 Gr. D quality for all other components and full height steel hinged door. One handle with locking mechanism, four adjustable full shelves, M10 screw type leveler with hex plastic base, 4- Step - Anti - Corrosion treatment and the finish shall be of Epoxy Polyester Powder coated should be thickness of 50 microns (+/-10).			
3.	Office Table	Overall Dimension: Length: 1303hht, with the Height:750mm, Worksurface-18mm thick pre-laminate board (PLB). All work surface edges are duly sealed with 2 mm thick PVC beading. Under structure frame-CRCA MS sheet 9mm thick. MS ERW round Tubes: Dia 25.4mm x 1.2 mm thick Storage Unit: -3 box drawer one side and (1 box & 1filing) drawer another side, having size both end 355.5 mm(W)x550mm(D)X 433.5mm (H), 1.00 mm thick CRCA MS shell, 1.00 mm thick drawer tray (shouldhave a slot and the stopped strips metal sheet at the rear for holding the drawer in the box when it is fully opened.)			
4.	<u>Lecturer table</u>	Understructure of podium, Gable end and modesty panel, Storage: No, Storage Shelves: without shelves, Reading surface: Flat surface, Top position: Fixed, Paper stop: No, Wire management with Number of socket box: 0, In built sockets for LAN / Internet: Yes, Type of socket box: No socket box, Podium top Material: MDF board of grade SBG II of IS 12406/Latest Gable end and modesty panel material, Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest Leg Material: NO LEGS, Podium top plain sides: CP Teak Wood Lipping, Gable end and modesty panel plain side: N.A, Thickness of podium top:			

		±2mm25 millimeter, Thickness of gable end and modesty panel: ±2mm19 millimeter, Length of podium top: ±10mm625 millimeter, Depth of podium: ±10mm550 millimeter, Height of podium: ±10mm1200 millimeter, Presenter side height: ±10mm1075mm, Dimension of leg (mmXmm) ±5mm, No legs Podium top finish, Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side Table top shade: peach, Warranty period in number of years: 1
<u>5.</u>	<u>Sofa</u>	Sofa: wooden frame, cushion arm ms powder coated leg. One seater size 920 LX965 DX 825H MM Two seater size: 1510 LX965 DX825 H MM Three seater size: 2110 LX965 DX825 H MM
<u>6.</u>	Combination Board	White Board and GreenBoard Combination(6 feet x 4 feet) with Steel framing with Eraser.

packege#03: Training Kits

Beauti	cian Course Kit
s.NO	Particular
1	Cleansing Milk,500gms
2	Astigent,500 gms
3	Facial Belt
4	Scrub,500 gms
	Massage Cream, 500gms
5	Face Pack
6	
7	Rose Water, 1 ltrs
8	Facial Kit, 160 gms pack
9	Dettol, 1 ltrs
10	Comb
11	Hair Oil, 1ltrs
12	Hand towel
13	Gloves
14	Shampoo, 1 ltrs
15	Eyeliner
16	Mascara
17	Lipstick
18	Telcom Powder, 1 kg
19	Hot wax, 600gms
$\frac{19}{20}$	Wax Strips
$\frac{20}{21}$	Heena/hair mehndi, 1kgs
22	Aanwla powder, 1kg
23	Hydrogen peroxide, 1 ltrs
24	Foundation, 40 ml
25	Moisturizer lotion, 500ml
26	Mehdi cone- 1 box
27	Hair spa,500 ml
28	Thread yarn- 1 set
29	Hair pin- 1 box
30	U-Pin- 1 box
31	Safety Pin- 1 box
32	Concealer- 3 shades
33	Kajal- 1 pcs
34	Eye bro pencil- 3 pcs
35	Fruit scrapper-1 no
36	Straightening Cream(125 MI)
37	Hair highlighter – 1 no
38	Hair Fall spa kit-1 no
39	Anti-dandruff kit with oil- 1 no Hair Crimping machine-1 no
40	Water county 1 no
41	Water spray-1 no Thinner(Nail Paint remove), 30 ml
42	Bleach-1
43	Nail Polish- 3 shades
44	Scissor Set-1 no
45	Hair Dryer-1 no

1	48	Pedicure Set- 1 no
	49	Manicure Set- 1 no.
	50	Storage for Beautician Kit with Lock-1 no.
7		

H. Sewing Machine for Craft and Tailoring Course				
	Floral Face Plate and Arm Side Cover			
	Round Stitch Indicator Plate			
Sewing Machine	Nickel Plated Needle Bar Auto Trimping Spring Loaded Bobbin Winder for Uniform Winding of Bobbin Sheet Metal Bobbin Winder			
	2 Year Warranty Wooden top table suitable for stitching material/cloth.			
Table	Wooden top table suitable for sates 2			

Annexure- A TENDER CONDITIONS ACCEPTANCE LETTER

(To be given on Company Letter Head)

То	Date :
SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER	
Tender Reference No :	
Name of Tender/ Work :	
Dear Sir	

- 1. I/We have obtained the tender document(s) for the above mentioned "Tender/Work" from the office as per your advertisement in press/website.
- 2. I/We hereby certify that I/ we have read entire terms and conditions of the documents including all documents like annexure(s), schedule(s), etc.,), which form part of the contract agreement and I/we shall abide hereby the terms/conditions/clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
- 4. I /We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/corrigendum(s) in its totality/entirety.
- 5. In case any provisions of this tender are found violated, the college shall have the right to reject this tender/bid including the forfeiture of the full said Earnest Money Deposit absolutely and we shall not have any claim/right against the college.

Yours Faithfully (Signature of the Bidder, with official seal)

Annexure-B

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

The Principal

R.N.M. College, Hunterganj, Chatra

WHEREAS	••••••		C mtmost ni		
supplier) (hereinafter called "the		taken, in pursuanc	te of contract in	contract")	to
lated	(hereinafter	called			
upply					
AND WHERE AS it has been stiguarantee by a scheduled nation compliance with its obligations in	nalized hank recogn	ized by jour re-		hall furnish you with	ı a bank ity for
AND WHERE AS we have agree	ed to give the Supplier	such a bank guara	intee;		
NOW THEREFORE we here by to a total of	affirm that we are gu	uarantors and respond to guarantee in wo pon your first writ	onsible to you, or rds and figures, ten demand de	rite of (amount of gu	arantee)
therein. We here by waive the necessity	y of your demanding	the said debt from	the Supplier o	Eloro para	
demand.				·form	ed there
We further agree that no change under or of any of the contract of	guarantee and we here	by waive notice of	any such chang	-,	
The Bank guarantee shall be int Bank Guarantee has been estab	erpreted in accordance lished in such form ar	e with the laws of Ind with such conterent provided herein.	ndia. The Guara	nforceable in accordan	nce with
its terms as against the Guarante The Bank Guarantee shall not	be affected in any many many construction of the construction of t	anner by reason of ank or the Supplier	merger, amalg	amation, restructuring	g or any o revoke
The Bank Guarantee shall not other change in the constitution this Guarantee during its current The Bank declares that it has jundersigned is duly authorized	power to issue this G	uarantee and disch	arge the obligat ntee for an on be	ions contemplated he chalf of the Bank.	Acm, an

This guarantee shall be valid up to and including theday of,20
(Signature with date of the authorized officer of the Bank)
Name and designation of the officer
Seal, name & address of the Bank and address of the Branch

This guarantee shall be valid up to and including theday of,20	
/0'.	
(Signature with date of the authorized officer of the Bank)	
	fficer
Seal, name & address of the Ba	ink and address of the Branch

Annexure-C

FINANCIAL BID FORMAT

Package	Particulars	Unit of Measurement	Unit Rate	Cumulative Cost of Package in INR (Inclusive of all taxes) in Figure	Cumulative Cost of Package in INR (Inclusive of all taxes) in Words
	A) All in One PC	Nos.			
	B) Laptop	Nos.			
	C) Digital Board	Nos.			
	D) Steel Water Cooler	Nos.			
Package#1:	E) Multifunction Printer	Nos.			
IT and Electronics	F) Audio Podium	Nos.			
Liectronics	G) Solar Inverter	Nos.			
	H) Public Addressable System	Nos.			
	I) Accessories and Network	Lumpsum			
	J) 1 KVA UPS	Nos.			
	A) Chair	Nos.			
	B) Steel Almirah	Nos.			
Package#2:	C) Office Table	Nos.			
Furniture	D) Lecturer Table	Nos.			
	E) Sofa	Nos.			
	F) Combination Board	Nos.			
Package#3:	A) Beautician Course Kit	Nos.			
Training Kits	B) Tailoring Machine	Nos.			

Note:

- A. The Bidder shall quote composite price inclusive of Supply, Installation, Testing, Commissioning, Training & all Taxes for each of the items.
- B. The Bidder shall strictly follow the technical specifications of all the items as per Part-III of the tender document.
- C. If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.

Signature:

Printed Name & Designation:

Company Seal:

Date:

Bidder's Name & Address:

END OF DOCUMENT